

2010 Bacterial blight recommendations

Dr. Terry A. Wheeler
Research Plant Pathologist, Texas AgriLife Research



Dr. Jason E. Woodward, Extension Plant Pathologist
Texas AgriLife Extension Service



Texas AgriLife Research and Extension Service Center
1102 East Fm 1294
Lubbock, Texas 79403
(806)-746-6101

The information given herein is for educational purposes only. Reference to commercial products or trade names is made with the understanding that no discrimination is intended and no endorsement by Texas AgriLife Extension Service, Texas AgriLife Research Experiment Station and the Texas A&M System is implied.

Table 1. Reaction of cotton cultivars to Bacterial Blight ratings (Race 18) in 2009 trials

Susceptible	Partly Susceptible	Partially Resistant	Resistant or Immune
AFD 5064 F	All-Tex Arid B2RF	All-Tex Xpress	All-Tex Excess
AFD 5065 B2F	Americot 1532B2RF	All-Tex Xpress RR	All-Tex Marathon B2RF
All-Tex Apex B2RF	Americot 1664B2RF	CG 3020B2RF	All-Tex Summitt B2RF
All-Tex Atlas	Concho 287	Fibermax 966LL	All-Tex Titan B2RF
All-Tex Atlas RR	CG 3520B2RF	Fibermax 1835LLB2	Americot 1504B2RF
All-Tex Epic RF	Fibermax 981LL	Fibermax 1845LLB2	Americot 1521B2RF
All-Tex Excess Plus	Phytogen 315WRF	NexGen 3348B2RF	Americot 1622B2RF
All-Tex Magnum RR		Phytogen 370WR	CG 3020B2RF
All-Tex Orbit RF			Deltapine 1032B2RF
All-Tex Patriot RF			DynaGro 2100B2RF
All-Tex Patriot RR			DynaGro 2215B2RF
All-Tex Top-Pick			Fibermax 1600LL
All-Tex Warrior RR			Fibermax 1735LLB2
Americot 1550B2RF			Fibermax 1740B2F
Americot 8120			Fibermax 1800LL
CG 3035RF			Fibermax 1880B2F
CG 3220B2RF			Fibermax 832LL
CG 4020B2RF			Fibermax 820F
DynaGro 2242B2RF			Fibermax 840B2F
DynaGro 2520B2RF			Fibermax 9058F
Deltapine 104B2RF			Fibermax 9060F
Deltapine 110 RF			Fibermax 9063B2F
Deltapine 117 B2RF			Fibermax 9068F
Deltapine 121RF			Fibermax 9160B2F
Deltapine 141B2RF			Fibermax 9170B2F
Deltapine 143B2RF			Fibermax 9180B2F
Deltapine 147RF			Fibermax 955LLB2
Deltapine 161B2RF			Fibermax 960B2
Deltapine 164 B2RF			Fibermax 960B2R
Deltapine 167 RF			Fibermax 988LLB2
Deltapine 174RF			Fibermax 989B2R
Deltapine 912 B2RF			NexGen 1572RF
Deltapine 924 B2RF			Fibermax 989B2R
Deltapine 1028B2RF			NexGen 1572RF
Deltapine 1034B2RF			NexGen 3273B2RF

Table 1. Reaction of cotton cultivars to Bacterial Blight ratings (Race 18) in 2009 trials cont.

Susceptible	Partly Susceptible	Partially Resistant	Resistant or Immune
Deltapine 1048B2RF			NexGen 3410RF
Deltapine 1050B2RF			Paymaster 2141B2RF
NexGen 1551RF			Phytogen 375WRF
NexGen 1553R			Stoneville 5288B2F
NexGen 1556RF			
NexGen 2549B2RF			
NexGen 3331B2RF			
NexGen 3538RF			
NexGen 3550RF			
NexGen 4370B2RF			
NexGen 4377B2RF			
PhytoGen 125 RF			
PhytoGen 355			
Phytogen 367 WRF			
PhytoGen 410 R			
PhytoGen 425 RF			
PhytoGen 440 W			
PhytoGen 470 WR			
PhytoGen 480 WR			
PhytoGen 485 WRF			
Phytogen 565 WRF			
PhytoGen 745 WRF			
PhytoGen 952			
Stoneville 4288B2F			
Stoneville 4357B2F			
Stoneville 4427B2F			
Stoneville 4498B2F			
Stoneville 4554B2F			
Stoneville 4700B2F			
Stoneville 5283F			
Stoneville 5327B2F			
Stoneville 5458B2F			
Stoneville 6611B2F			
Stoneville 6622F			

CG = Cropland Genetics